

# DOWNLIGHTERJI vgradni in nadgradni

## 050/DOWNLIGHTER/201



Reflektor: sijajni poliran aluminij



TC-DEL

Ø zun. 195 mm  
Ø vgr. 175 mm  
H 100 mm

201/1x13WKVG	1x 13W KVG
201/1x18WKVG	1x 18W KVG
201/1x26WKVG	1x 26W KVG
201/2x13WKVG	2x 13W KVG
201/2x18WKVG	2x 18W KVG
201/2x26WKVG	2x 26W KVG
201/1x13WEVG	1x 13W EVG
201/1x18WEVG	1x 18W EVG
201/1x26WEVG	1x 26W EVG
201/2x13WEVG	2x 13W EVG
201/2x18WEVG	2x 18W EVG
201/2x26WEVG	2x 26W EVG

## 054/DOWNLIGHTER/211



Reflektor: sijajni poliran aluminij



Ø zun. 225 mm  
Ø vgr. 205 mm  
H 125 mm

211/1x32WEVG	1x 32W EVG
211/1x42WEVG	1x 42W EVG
211/2x32WEVG	2x 32W EVG
211/2x42WEVG	2x 42W EVG

## 058/DOWNLIGHTER/221



Reflektor: sijajni poliran aluminij



TC-DEL

Ø zun. 265 mm  
Ø vgr. 240 mm  
H 130 mm

221/1x18WKVG	1x 18W KVG
221/1x26WKVG	1x 26W KVG
221/2x18WKVG	2x 18W KVG
221/2x26WKVG	2x 26W KVG
221/1x18WEVG	1x 18W EVG
221/1x26WEVG	1x 26W EVG
221/2x18WEVG	2x 18W EVG
221/2x26WEVG	2x 26W EVG

## 059F/DOWNLIGHT/291



Reflektor: sijajni poliran aluminij



TC-DEL

Ø 230 mm  
H 175 mm

291/1x13WKVG	1x 13W KVG
291/1x18WKVG	1x 18W KVG
291/2x13WKVG	2x 13W KVG
291/2x18WKVG	2x 18W KVG
291/1x13WEVG	1x 13W EVG
291/1x18WEVG	1x 18W EVG
291/2x13WEVG	2x 13W EVG
291/2x18WEVG	2x 18W EVG

## 051/DOWNLIGHTER/202



Reflektor: sijajni poliran aluminij  
Steklo: temper. odporno, peskano



TC-DEL

Ø zun. 195 mm  
Ø vgr. 175 mm  
H 110 mm

202/1x13WKVG	1x 13W KVG
202/1x18WKVG	1x 18W KVG
202/1x26WKVG	1x 26W KVG
202/2x13WKVG	2x 13W KVG
202/2x18WKVG	2x 18W KVG
202/2x26WKVG	2x 26W KVG
202/1x13WEVG	1x 13W EVG
202/1x18WEVG	1x 18W EVG
202/1x26WEVG	1x 26W EVG
202/2x13WEVG	2x 13W EVG
202/2x18WEVG	2x 18W EVG
202/2x26WEVG	2x 26W EVG

## 059D/DOWNLIGHT/251



Reflektor: sijajni poliran aluminij  
Steklo: temper. odporno, peskano



Ø zun. 195 mm  
Ø vgr. 175 mm  
H 110 mm

251/HQ170W	1x 70W KVG
251/GEAR BOX70WKVG	
251/HQ1150W	1x 150W KVG
251/GEAR BOX150WKVG	

## 055/DOWNLIGHTER/212



Reflektor: sijajni poliran aluminij  
Steklo: temper. odporno, peskano



TC-DEL

Ø zun. 230 mm  
Ø vgr. 205 mm  
H 125 mm

212/1x18WKVG	1x 18W KVG
212/1x26WKVG	1x 26W KVG
212/2x18WKVG	2x 18W KVG
212/2x26WKVG	2x 26W KVG
212/1x18WEVG	1x 18W EVG
212/1x26WEVG	1x 26W EVG
212/2x18WEVG	2x 18W EVG
212/2x26WEVG	2x 26W EVG

## 059/DOWNLIGHTER/222



Reflektor: sijajni poliran aluminij  
Steklo: temper. odporno, peskano



TC-DEL

Ø zun. 265 mm  
Ø vgr. 240 mm  
H 145 mm

222/1x18WKVG	1x 18W KVG
222/1x26WKVG	1x 26W KVG
222/2x18WKVG	2x 18W KVG
222/2x26WKVG	2x 26W KVG
222/1x18WEVG	1x 18W EVG
222/1x26WEVG	1x 26W EVG
222x18WEVG	2x 18W EVG
222/2x26WEVG	2x 26W EVG

## 053/DOWNLIGHTER/204



Reflektor: parabolični



TC-DEL

Ø zun. 195 mm  
Ø vgr. 175 mm  
H 120 mm

204/1x13WKVG	1x 13W KVG
204/1x18WKVG	1x 18W KVG
204/1x26WKVG	1x 26W KVG
204/2x13WKVG	2x 13W KVG
204/2x18WKVG	2x 18W KVG
204/2x26WKVG	2x 26W KVG
204/1x13WEVG	1x 13W EVG
204/1x18WEVG	1x 18W EVG
204/1x26WEVG	1x 26W EVG
204/2x13WEVG	2x 13W EVG
204/2x18WEVG	2x 18W EVG
204/2x26WEVG	2x 26W EVG

## 057/DOWNLIGHTER/214



Reflektor: parabolični



TC-DEL

Ø zun. 230 mm  
Ø vgr. 205 mm  
H 145 mm

214/1x18WKVG	1x 18W KVG
214/1x26WKVG	1x 26W KVG
214/2x18WKVG	2x 18W KVG
214/2x26WKVG	2x 26W KVG
214/1x18WEVG	1x 18W EVG
214/1x26WEVG	1x 26W EVG
214/2x18WEVG	2x 18W EVG
214/2x26WEVG	2x 26W EVG

## 059B/DOWNLIGHT/224



Reflektor: parabolični



TC-DEL

Ø zun. 265 mm  
Ø vgr. 240 mm  
H 160 mm

224/1x18WKVG	1x 18W KVG
224/1x26WKVG	1x 26W KVG
224/2x18WKVG	2x 18W KVG
224/2x26WKVG	2x 26W KVG
224/1x18WEVG	1x 18W EVG
224/1x26WEVG	1x 26W EVG
224x18WEVG	2x 18W EVG
224/2x26WEVG	2x 26W EVG

## 059G/DOWNLIGHT/294



Reflektor: parabolični



TC-DEL

Ø 230 mm  
H 175 mm

294/1x13WKVG	1x 13W KVG
294/1x18WKVG	1x 18W KVG
294/2x13WKVG	2x 13W KVG
294/2x18WKVG	2x 18W KVG
294/1x13WEVG	1x 13W EVG
294/1x18WEVG	1x 18W EVG
294/2x13WEVG	2x 13W EVG
294/2x18WEVG	2x 18W EVG

## 059C/DOWNLIGHT/242



Reflektor: sijajni poliran aluminij  
Steklo: temper. odporno



TC-DEL

Ø zun. 230 mm  
Ø vgr. 210 mm  
H 100 mm

242/1x18WKVG	1x 18W KVG
242/1x26WKVG	1x 26W KVG
242/2x18WKVG	2x 18W KVG
242/2x26WKVG	2x 26W KVG
242/1x18WEVG	1x 18W EVG
242/1x26WEVG	1x 26W EVG
242x18WEVG	2x 18W EVG
242/2x26WEVG	2x 26W EVG

## Downlighter pro I 212



Reflektor: sijajni poliran aluminij



IP 44

TC-DEL

Ø zun. 220 mm  
Ø vgr. 200 mm  
H 100 mm

212/1x13WKVG	1x 13W KVG
212/1x18WKVG	1x 18W KVG
212/1x26WKVG	1x 26W KVG
212/2x13WKVG	2x 13W KVG
212/2x18WKVG	2x 18W KVG
212/2x26WKVG	2x 26W KVG
212/1x13WEVG	1x 13W EVG
212/1x18WEVG	1x 18W EVG
212/1x26WEVG	1x 26W EVG
212/1x32WEVG	1x 32W EVG
212/2x13WEVG	2x 13W EVG
212/2x18WEVG	2x 18W EVG
212/2x26WEVG	2x 26W EVG

## 056/DOWNLIGHTER/213



Reflektor: sijajni poliran aluminij



TC-TEL

GX 24 q-1

TC-DEL  
Ø zun. 225 mm  
Ø vgr. 205 mm  
H 130 mm

213/1x18WKVG	1x 18W KVG
213/1x26WKVG	1x 26W KVG
213/2x18WKVG	2x 18W KVG
213/2x26WKVG	2x 26W KVG
213/1x18WEVG	1x 18W EVG
213/1x26WEVG	1x 26W EVG
213/1x32WEVG	1x 32W EVG
213/1x42WEVG	1x 42W EVG
213/2x18WEVG	2x 18W EVG
213/2x26WEVG	2x 26W EVG
213/2x32WEVG	2x 32W EVG
213/2x42WEVG	2x 42W EVG

## Downlighter 292



Reflektor: sijajni poliran aluminij



TC-D

G24 d-1

TC-DEL  
Ø 225 mm  
H 160 mm

292/1x13WKVG	1x 13W KVG
292/1x18WKVG	1x 18W KVG
292/1x26WKVG	1x 26W KVG
292/2x13WKVG	2x 13W KVG
292/2x18WKVG	2x 18W KVG
292/2x26WKVG	2x 26W KVG
292/1x13WEVG	1x 13W EVG
292/1x18WEVG	1x 18W EVG
292/1x26WEVG	1x 26W EVG
292/2x13WEVG	2x 13W EVG
292/2x18WEVG	2x 18W EVG
292/2x26WEVG	2x 26W EVG

# DOWNLIGHTERJI vgradni

## 054/DOWNLIGHTER/211FACET

Reflektor: eliptični



TC-DEL  
 Ø zun. 225 mm  
 Ø vgr. 205 mm  
 H 125 mm




211/1x18WKVG	1x 18W KVG
211/1x26WKVG	1x 26W KVG
211/2x18WKVG	2x 18W KVG
211/2x26WKVG	2x 26W KVG
211/1x18WEVG	1x 18W EVG
211/1x26WEVG	1x 26W EVG
211/2x18WEVG	2x 18W EVG
211/2x26WEVG	2x 26W EVG

## 059E/DOWNLIGHT/MAXI

Reflektor: sijajni poliran aluminij




Ø zun. 320 mm  
 Ø vgr. 300 mm  
 H 145 mm



271/2x32WEVG	2x 32W EVG
271/2x42WEVG	2x 42W EVG
271/3x32WEVG	3x 32W EVG
271/3x42WEVG	3x 42W EVG

## PLEIAD



## SLD 175

### Dekoratívni okraski

Reflektor: simetričen



TC-TEL  
 GX24 q-1  
 Ø zun. 191 mm  
 Ø vgr. 175 mm  
 H 159 mm



W	KVG	EVG	D	D1-10	Obd. refl.
1x 18	76200	-42	-60	-81	Poliran Al
1x 18	76201	-42	-60	-81	Narebran Al
1x 18	76202	-42	-60	-81	Mat Al
1x 18	76203	-42	-60	-81	Pol. meden.
1x 18	76200-195		ACU		Poliran Al

W	KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## SLD 215

### Dekoratívni okraski

Reflektor: simetričen



TC-TEL  
 GX24 q-1  
 Ø zun. 230 mm  
 Ø vgr. 215 mm  
 H 178 mm



W	KVG	EVG	D	D1-10	Obd. refl.
2x 18*	76210	-42	-60	-81	Poliran Al
1x 26	76220	-42	-60	-81	Poliran Al
1x 26	76221	-42	-60	-81	Narebran Al
1x 26	76222	-42	-60	-81	Mat Al
1x 26	76223	-42	-60	-81	Pol. meden.
2x 26*	76230	-42	-60	-81	Poliran Al
1x 26	76220-195		ACU		Poliran Al

W	KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## SLD 255



### Reflektor: simetričen




Ø zun. 270 mm  
Ø vgr. 255 mm  
H 196 mm

\* ni možno za 1x 42W

W	EVG	D	D1-10
1x 32	76240	-60	-81
1x 32	76241	-60	-81
1x 32	76242	-60	-81
1x 32	76243	-60	-81
1x 42	76260	-60	-81
1x 42	76261	-60	-81
1x 42	76262	-60	-81
1x 42	76263	-60	-81

Obd. refl.  
Poliran Al  
Narebran Al  
Mat Al  
Pol. meden.  
Poliran Al  
Narebran Al  
Mat Al  
Pol. meden.

### Dekoratívni okraski



	EVG	EVG-Dim-Dig	EVG-Dim anl.

## COMPACT 175



### Reflektor: simetričen



TC-DEL  
Ø zun. 190 mm  
Ø vgr. 175 mm  
H 98 mm

W	KVG	EVG	D	D1-10
1x 13	76100	-42	-60	
1x 13	76102	-42	-60	
1x 13	76103	-42	-60	
1x 18	76120	-42	-60	-81
1x 18	76122	-42	-60	-81
1x 18	76123	-42	-60	-81
1x 18	76120-195	ACU		

Obd. refl.  
Poliran Al  
Mat Al  
Pol. meden.  
Narebran Al  
Mat Al  
Pol. meden.  
ACU • Poliran Al

### Dekoratívni okraski



	KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## COMPACT 215



### Reflektor: simetričen




TC-DEL  
Ø zun. 230 mm  
Ø vgr. 215 mm  
H 133 mm

\* ni možno za 2x 26W

W	KVG	EVG	D	D1-10
2x 18	76130	-42	-60	-81
2x 18	76132	-42	-60	-81
2x 18	76133	-42	-60	-81
1x 26	76140	-42	-60	-81
1x 26	76142	-42	-60	-81
1x 26	76143	-42	-60	-81
2x 26	76170	-42	-60	
2x 18	76130-195	ACU		
1x 26	76140-195	ACU		

Obd. refl.  
Poliran Al  
Mat Al  
Pol. meden.  
Narebran Al  
Mat Al  
Pol. meden.  
Poliran Al  
ACU • Poliran Al  
ACU • Poliran Al

### Dekoratívni okraski



	KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## COMPACT 255



### Reflektor: simetričen




TC-DEL  
Ø zun. 270 mm  
Ø vgr. 255 mm  
H 196 mm

\* ni možno za 2x 26,42W

W	KVG	EVG	D	D1-10
2x 26	76150	-42	-60	-81
2x 26	76152	-42	-60	-81
2x 26	76153	-42	-60	-81
2x 32	76180	-60	-81	
2x 42	76190	-60	-81	
2x 26	76150-195	ACU		

Obd. refl.  
Poliran Al  
Mat Al  
Pol. meden.  
Narebran Al  
Poliran Al  
ACU • Poliran Al

### Dekoratívni okraski



	KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

# DOWNLIGHTERJI vgradni

## TREND SLD 125



Reflektor: simetričen satin-Al  
TC-DEL

Ø zun. 144 mm  
Ø vgr. 132 mm  
H 186 mm

### EVG

1x 10W 76610 brez stekla  
1x 10W 76609 s steklom

## TREND SLD 175



Reflektor: simetričen satin-Al  
TC-DEL

Ø zun. 199 mm  
Ø vgr. 185 mm  
H 169 mm

Oprema za mavčne stropove 41690

### EVG

1x 18W 76611 brez stekla  
1x 18W 76612 s steklom

## TREND SLD 215



Reflektor: simetričen satin-Al  
TC-DEL

Ø zun. 245 mm  
Ø vgr. 230 mm  
H 192 mm

Oprema za mavčne stropove 41691

### EVG

1x 26W 76614 brez stekla  
1x 26W 76615 s steklom

## TREND SLD 255



Reflektor: simetričen satin-Al  
TC-DEL

Ø zun. 286 mm  
Ø vgr. 270 mm  
H 207 mm

Oprema za mavčne stropove 41692

### EVG

1x 32W 76617 brez stekla  
1x 32W 76618 s steklom  
1x 42W 76619 brez stekla  
1x 42W 76620 s steklom

## TREND COMPACT 175



Reflektor: simetričen mat-Al  
TC-DEL

Ø zun. 199 mm  
Ø vgr. 185 mm  
H 109 mm

Oprema za mavčne stropove 41693

### EVG

1x 18W 76631 brez stekla  
1x 18W 76632 s steklom

## TREND COMPACT 215



Reflektor: simetričen mat-Al  
TC-DEL

Ø zun. 245 mm  
Ø vgr. 230 mm  
H 148 mm

Oprema za mavčne stropove 41694

### EVG

1x 26W 76634 brez stekla  
1x 26W 76635 s steklom

## TREND COMPACT 255



Reflektor: simetričen mat-Al  
TC-DEL


Ø zun. 286 mm  
Ø vgr. 270 mm  
H 161 mm

Oprema za mavčne stropove 41695

### EVG

2x 26W 76637 brez stekla  
2x 26W 76638 s steklom

## MASK



12760 1xQT12 - 20W, 35W, 50W  
1xFC - 55W

12761 1xQT12 - 20W, 35W, 50W  
1xFC - 40W + 1xFC - 55W

Ø zun. 460 Ø vgr. 440 H 150mm

12760 MASK 1x55+HAL50W

12761 MASK 1x40/55+HAL50W

## INDIGO CIRCLE REFLECTOR



1x26W  
Ø zun. 430mm Ø vgr. 400mm H210mm  
1x32W  
Ø zun. 530mm Ø vgr. 500mm H233mm

### EVG

1x26W 24470 mat aluminij  
1x26W 24472 poliran aluminij  
1x32W 24471 mat aluminij  
1x32W 24473 poliran aluminij

## INDIGO CIRCLE GLASS



1x26W  
Ø zun. 430mm Ø vgr. 400mm H210mm  
1x32W  
Ø zun. 530mm Ø vgr. 500mm H233mm

### EVG

1x26W 24474  
1x32W 24475



## POWER 125+BOX



### Reflektor: simetričen

**HIT-CRI**  
 Ø zun. 141 mm  
 Ø vgr. 125 mm  
 H max 174 mm

W	KVG	EVG
<b>MR- HI-PAR20</b>		
1x 35 76475+	98080	98081
<b>MT- HIT-CRI</b>		
1x 35 76476+	98080	98081
1x 35 76477+	98080	98081

Obd. refl. Eloksiran Al  
**Ozek snop**  
 Eloksiran Al  
**Ozek snop**  
**Širok snop**

## Dekorativni okraski



KVG	EVG

## CITY CARRE



**TC-TE**  
 zun. 296x296mm  
 vgr. 253x253mm  
 H 169mm



12168 <b>EVG</b>	1x26W
12161 <b>EVGD</b>	1x26W
12168 <b>EVG</b>	1x32W
12162 <b>EVGD</b>	1x32W
12169 <b>EVG</b>	1x42W
12163 <b>EVGD</b>	1x42W
12170 <b>EVG</b>	2x26W
12164 <b>EVGD</b>	2x26W
12171 <b>EVG</b>	2x32W
12165 <b>EVGD</b>	2x32W
12172 <b>EVG</b>	2x42W
12166 <b>EVGD</b>	2x42W

## POWER 175+BOX



### Reflektor: simetričen

**HIT-CRI, HST-CRI**  
 Ø zun. 191 mm  
 Ø vgr. 175 mm  
 H max 216 mm

W	KVG	EVG
<b>MR- HI-PAR20</b>		
1x 70 76482+	98082	98083
<b>MT- HIT-CRI</b>		
1x 35 76481+	98082	98083
1x 70 76484+	98082	98083
1x 150 76486+	98082	98083
<b>STH- HST-CRI</b>		
1x 50 76491+		98083
1x 100 76493+		98083

Obd. refl. Eloksiran Al  
**Ozek snop**  
 Eloksiran Al  
**Širok snop**  
**Širok snop**  
**Širok snop**  
 Eloksiran Al  
**Širok snop**  
**Širok snop**

## Dekorativni okraski



KVG	EVG

## CITY CARRE COVERS

### CITY CARRE COVER I



12180AS	sivi
12181W	beli

### CITY CARRE COVER II



12182AS	sivi
12183W	beli

### CITY CARRE COVER III



12184AS	sivi
12185W	beli

### CITY CARRE COVER IV



12186AS	sivi
12187W	beli

### CITY CARRE COVER V



12188AS	sivi
12189W	beli

## BASIC 125



### Reflektor: simetričen


**TC-DEL, Q-PAR20**  
 Ø zun. 141 mm  
 Ø vgr. 125 mm, H 174 mm

\* ni možno za 40/50W

W	EVG
<b>A60, Q-PAR20</b>	
1x 40/50*	76471
<b>TC-DEL</b>	
1x 10	76470

Obd. refl. Eloksiran Al  
**Širok/ozek**  
 Eloksiran Al  
**Ozek snop**

## Dekorativni okraski



KVG	EVG

## BASIC 175



### Reflektor: simetričen

**QT32**  
 Ø zun. 191 mm  
 Ø vgr. 175 mm, H 215 mm

\* ni možno za 40/50W

W	EVG
<b>A60/QT32</b>	
1x 75/100	76472

Obd. refl. Eloksiran Al  
**Ozek snop**

## Dekorativni okraski




KVG	EVG



# DOWNLIGHTERJI nadgradni

## PLEIAD K/K/VGR Kompenzator za vgradne downlighterje Pleiad, RAL 9010



Pleiad 175	41420	max 12°
Pleiad 215	41421	max 14°
Pleiad 255	41422	max 18°

## PLEIAD SLD K/VGR Kompenzator višine za dvojni strop



SLD 175	41350
SLD 215	41351
SLD 255	41352

## SLD 205



### Reflektor: simetričen



Ø 205 mm  
H 205 mm

W	KVG	EVG	D	D1-10	Obd. refl.
1x 18	72100	-42	-60	-81	Poliran Al
1x 18	72101	-42	-60	-81	Narebran Al
1x 18	72102	-42	-60	-81	Mat Al
1x 18	72103	-42	-60	-81	Pol. meden.

## Dekorativni okraski

RAL 9010



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## SLD 245



### Reflektor: simetričen



Ø 245 mm  
H 225 mm

W	KVG	EVG	D	D1-10	Obd. refl.
1x 26	72120	-42	-60	-81	Poliran Al
1x 26	72121	-42	-60	-81	Narebran Al
1x 26	72122	-42	-60	-81	Mat Al
1x 26	72123	-42	-60	-81	Pol. meden.

## Dekorativni okraski

RAL 9010



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## SLD 285



### Reflektor: simetričen



Ø 285 mm  
H 245 mm

W	EVG	D	D1-10	Obd. refl.
1x 32	72140	-60	-81	Poliran Al
1x 32	72141	-60	-81	Narebran Al
1x 32	72142	-60	-81	Mat Al
1x 32	72143	-60	-81	Pol. meden.
1x 42	72160	-60	-81	Poliran Al
1x 42	72161	-60	-81	Narebran Al
1x 42	72162	-60	-81	Mat Al
1x 42	72163	-60	-81	Pol. meden.

## Dekorativni okraski

RAL 9010



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## COMPACT 245



### Reflektor: simetričen



Ø 245 mm  
H 111 mm

W	KVG	EVG	D	D1-10	Obd. refl.
1x 13	72300	-42			Poliran Al
1x 13	72302	-42			Mat Al
1x 13	72303	-42			Pol. meden.
1x 18	72320	-42			Poliran Al
1x 18	72322	-42			Mat Al
1x 18	72323	-42			Pol. meden.

## Dekorativni okraski

RAL 9010



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.



## COMPACT 285

### Dekorativni okraski


RAL 9010



Reflektor: simetričen

TC-D  
G24 d-1, TC-DEL

Ø 285 mm  
H 149 mm



W	KVG	EVG	D	D1-10
2x 18	72330			
2x 18	72332			
2x 18	72333			
1x 26	72340	-42	-60	-81
1x 26	72342	-42	-60	-81
1x 26	72343	-42	-60	-81

Obd. refl.  
Poliran Al  
Mat Al  
Pol. meden.

KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## BASIC 155

RAL 9010



Reflektor: simetričen

A60  
E27 TC-DEL, Q-PAR20

Ø 155 mm  
H 166 mm

\* ni možno za 40/50W

W	KVG
A60, Q-PAR20 1x 40/50	72200
1x 40/50	72210

Obd. refl.  
Narebran Al  
Poliran Al

TC-D/TC-DEL	KVG
1x 10	72205
1x 10	72215

Narebran Al  
Poliran Al

TC-D/TC-DEL	KVG
1x 10	72205-42
1x 10	72215-42

Narebran Al  
Poliran Al

## BASIC 205

RAL 9010



Reflektor: simetričen

A60  
E27

Ø 205 mm  
H 205 mm

\* ni možno za 40/50W

W	KVG
A60 1x 100	72201
1x 100	72211

Obd. refl.  
Narebran Al  
Poliran Al

## BASIC 285 HEGT

RAL 9010



Reflektor: simetričen

QT 32  
E27

Ø 285 mm  
H 300 mm

\* ni možno za 40/50W

W	KVG
QT-32 1x 250	72212

Obd. refl.  
Narebran Al

## BASIC 400 QL

RAL 9010



Reflektor: simetričen

QL

Ø 400 mm  
H 500 mm


\* ni možno za 40/50W

W	KVG
QL 1x 85	72450
Zašč. steklo	41520

Obd. refl.

## PLEIAD STEN

Stenska konzola RAL 9010




Pleiad 205	41440
Pleiad 245	41441
Pleiad 285	41442

## PLEIAD KOMP/NAD

Kompenzator nadgradni za poševni strop




Please state required angle Δ



Pleiad 205	41450	45°
Pleiad 245	41451	45°
Pleiad 285	41452	45°

## PLEIAD OBEŠ

Obešalo za downlighter PLEIAD



Pleiad 205	41455
Pleiad 245	41456
Pleiad 285	41457


# PLEIAD okraski

## GO 1



### Obešala

41303	Pleiad SLD 175
41304	Pleiad SLD 215
41305	Pleiad SLD 255
41301	Compact 215
41302	Compact 255



### Stekla

41596	Prozorna
41597	Modra
41598	Zelena
41599	Rumena
41600	Kristalna

\* Ni za Compact 255, 2x 32W in 2x 42W

## GO 2



### Obešala

41303	Pleiad SLD 175
41304	Pleiad SLD 215
41305	Pleiad SLD 255
41300	Compact 175
41301	Compact 215
41302	Compact 255



### Stekla

41586	Prozorna
41587	Modra
41588	Zelena
41589	Rumena
41590	Kristalna

\* Ni za Compact 255, 2x 32W in 2x 42W

## STAR



### Obešala

41303	Pleiad SLD 175
41304	Pleiad SLD 215
41305	Pleiad SLD 255
41300	Compact 175
41301	Compact 215
41302	Compact 255



### Stekla - opal belo

41544	Compact 175
41545	SLD 175
41545	SLD 215
41545	SLD 255

\* Ni za Compact 255, 2x 32W in 2x 42W

## SOFT



### Obešala

41303	Pleiad SLD 175
41304	Pleiad SLD 215
41305	Pleiad SLD 255
41300	Compact 175
41301	Compact 215
41302	Compact 255



### Stekla - opal belo

41538	Compact 175
41531	SLD 175
41532	SLD 215
41533	SLD 255

\* Ni za Compact 255, 2x 32W in 2x 42W

## DISC



### Obešala

41303	Pleiad SLD 175
41304	Pleiad SLD 215
41305	Pleiad SLD 255
41300	Compact 175
41301	Compact 215
41302	Compact 255



### Stekla - opal belo

41343	Compact 175
41340	SLD 175
41341	SLD 215
41342	SLD 255

\* Ni za Pleiad SLD 255, 1x 42W in Compact 2x 26/32/42W

## BOWL



### Obešala

41300	Compact 175
41301	Compact 215
41302	Compact 255



### Stekla - opal belo

41663	Compact 175
41661	Compact 215
41662	Compact 255

\* Ni za Compact 255, 2x 32W in 2x 42W

## OPUS



41641	Ø 175 Mat Al
41646	Ø 175 Ral 9007
41651	Ø 175 Beli
41642	Ø 215 Mat Al
41647	Ø 215 Ral 9007
41652	Ø 215 Beli
41643	Ø 255 Mat Al
41648	Ø 255 Ral 9007
41653	Ø 255 Beli

\* Ni za Compact 255, 2x 32W in 2x 42W

## TURBIN



### Obešala

41300	Compact 175
41301	Compact 215
41302	Compact 255



41566	Compact 175
41567	Compact 215
41568	Compact 255
41569	Comp.255 2x32/42
41561	SLD 175
41562	SLD 215
41563	SLD 255

## RINGLIGHT



### Steklo - opal belo

41550	Ø 125
41551	Ø 175
41552	Ø 215
41553	Ø 255

## PLAIN



41525	Ø 175
41526	Ø 215
41527	Ø 255

\* Ni za Compact 255, 2x 32W in 2x 42W

## RINGLIGHT



### Kovinski obroč

41417	Ø 125
41411	Ø 175
41413	Ø 215
41415	Ø 255


## HOWER



41515	Ø 175
41516	Ø 215
41517	Ø 255

\* Ni za Compact 255, 2x 32W in 2x 42W



## TRIMRING A

	41480	Ø 125 Krom
	41481	Ø 125 Medenina
	41482	Ø 125 Beli
	41360	Ø 175 Krom
	41361	Ø 175 Medenina
	41362	Ø 175 Beli
	41363	Ø 215 Krom
	41364	Ø 215 Medenina
	41365	Ø 215 Beli
	41366	Ø 255 Krom
	41367	Ø 255 Medenina
	41368	Ø 255 Beli

## TRIMRING B

	41685	Ø 125 Mat Al
	41680	Ø 125 Ral 9007
	41687	Ø 125 Beli
	41490	Ø 175 Mat Al
	41581	Ø 175 Ral 9007
	41492	Ø 175 Beli
	41493	Ø 215 Mat Al
	41582	Ø 215 Ral 9007
	41495	Ø 215 Beli
	41496	Ø 255 Mat Al
	41583	Ø 255 Ral 9007
	41498	Ø 255 Beli

## TRIMRING IP 44

	41627 <sup>*1</sup>	Ø 125 Clear
	41626 <sup>*1</sup>	Ø 125 Opal
	41625 <sup>*1</sup>	Ø 125 Prisma
	41633 <sup>*2</sup>	Ø 175 Clear
	41630 <sup>*2</sup>	Ø 175 Opal
	41606 <sup>*2</sup>	Ø 175 Prisma
	41634 <sup>*3</sup>	Ø 215 Clear
	41631 <sup>*3</sup>	Ø 215 Opal
	41607 <sup>*3</sup>	Ø 215 Prisma
	41635 <sup>*4</sup>	Ø 275 Clear
	41632 <sup>*4</sup>	Ø 275 Opal
	41608 <sup>*4</sup>	Ø 275 Prisma


\*1 ni za Basic 125 IAA/HAG in Power 125 MR/MT

\*2 ni za Basic 175 IAA/HAG in Power 175 MR/MT

\*3 ni za Power 215 STH, Compact in SLD 2x26W


\*4 ni za Compact 255, 2x 32W in 2x 42W

## EMF


	41465	Ø 175
	41466	Ø 215
	41467	Ø 255

Dodatek - mreža za TRIM RING B - zmanjšuje EM polje

## TRIMRING C

	41575	Ø 125 Mat Al
	41570	Ø 125 Ral 9007
	41576	Ø 175 Mat Al
	41571	Ø 175 Ral 9007
	41577	Ø 215 Mat Al
	41572	Ø 215 Ral 9007
	41578	Ø 255 Mat Al
	41573	Ø 255 Ral 9007

## EASY



HRGI

Ø zun. 80, 105, 128 mm  
H vgr. max 145, 165, 125 mm

76941	1x35W	0°	sivi
76943	1x50W	355°/30°	sivi
76947	1x50W	355°/90°	sivi
76940	1x35W	0°	beli
76942	1x50W	355°/30°	beli
76946	1x50W	355°/90°	beli

## ZONE BEAM HMG 111



HMG

H vgr. max 111 mm

## MD (RX7s)

51010	1x65W	0-90°	siva
51011	1x65W	0-90°	bela

## BARVNI FILTRI z belo armaturo

94955	rumeni
94956	modri
94957	zeleni
94958	rdeči



## BARVNI FILTRI z sivo armaturo

94960	rumeni
94961	modri
94962	zeleni
94963	rdeči

## ENTER circular



MT, 1x35W 1x70W  
STH 1x50W 1x100W  
Ø zun. 170mm  
H vgr. max 140 mm

## MT (G12)

76860	1x35W	355°/55°	siva
76861	1x70W	355°/55°	siva
76850	1x35W	355°/55°	bela
76851	1x70W	355°/55°	bela

## MT (G8.5)

76862	1x35W	355°/55°	siva
76863	1x70W	355°/55°	siva
76852	1x35W	355°/55°	bela
76853	1x70W	355°/55°	bela

## STH (GX12-1)

76864	1x50W	355°/55°	siva
76865	1x100W	355°/55°	siva
76854	1x50W	355°/55°	bela
76855	1x100W	355°/55°	bela

## ENTER rectangular



MD  
STH  
zun. 245x158mm  
H vgr. max 98 mm

## MD (RX7s)

76874	1x70W	45°	siva
76870	1x70W	45°	bela

## STH (PG12-1)

76876	1x50W	45°	siva
76877	1x100W	45°	siva
76872	1x50W	45°	bela
76873	1x100W	45°	bela

## ZONE BEAM MR 111



MR 1x35W

H vgr. max 148 mm

### MR (G53)

51014	1x35W	0-90°	siva
51013	1x35W	0-90°	bela

## ZONE BEAM MT compact



MT (G8.5) 1x35W 1x70W

H vgr. max 148 mm

### srednje širok snop

51053	1x35W	0-90°	siva
51058	1x70W	0-90°	siva
51052	1x35W	0-90°	bela
51057	1x70W	0-90°	bela

### ozek snop

51051	1x35W	0-90°	siva
51056	1x70W	0-90°	siva
51050	1x35W	0-90°	bela
51055	1x70W	0-90°	bela

## ZONE BEAM STH



STH (GX12-1) 1x50W 1x100W

H vgr. max 148 mm

### srednje širok snop

51073	1x50W	0-90°	siva
51078	1x100W	0-90°	siva
51072	1x50W	0-90°	bela
51077	1x100W	0-90°	bela

### ozek snop

51071	1x50W	0-90°	siva
51076	1x100W	0-90°	siva
51070	1x50W	0-90°	bela
51075	1x100W	0-90°	bela

## BARVNI FILTRI za ZONE MT in ZONE BEAM MT compact

### BARVNI FILTRI z belo armaturo

94955	rumeni
94956	modri
94957	zeleni
94958	rdeči



### BARVNI FILTRI z sivo armaturo

94960	rumeni
94961	modri
94962	zeleni
94963	rdeči



## ZONE BEAM MT



MT (G8.5) 1x35W 1x70W

H vgr. max 167 mm

### srednje širok snop

51063	1x35W	0-90°	siva
51068	1x70W	0-90°	siva
51062	1x35W	0-90°	bela
51067	1x70W	0-90°	bela

### ozek snop

51061	1x35W	0-90°	siva
51066	1x70W	0-90°	siva
51060	1x35W	0-90°	bela
51065	1x70W	0-90°	bela

## ZONE JUMP



RAL 9016 - bela  
RAL 9006 - siva

siva	L	H	B	
51201	1 modul	208	150	208
51203	2 modula	378	150	208
51205	3 moduli	548	150	208
51207	4 moduli	718	150	208
51209	5 modulov	888	150	208
51211	6 modulov	1058	150	208
51213	7 modulov	1228	150	208
51215	8 modulov	1398	150	208
51217	9 modulov	1568	150	208
51219	10 modulov	1738	150	208
51221	11 modulov	1908	150	208
51223	4 kvadrat	396	150	396

bela	L	H	B	
51200	1 modul	208	150	208
51202	2 modula	378	150	208
51204	3 moduli	548	150	208
51206	4 moduli	718	150	208
51208	5 modulov	888	150	208
51210	6 modulov	1058	150	208
51212	7 modulov	1228	150	208
51214	8 modulov	1398	150	208
51216	9 modulov	1568	150	208
51218	10 modulov	1738	150	208
51220	11 modulov	1908	150	208
51222	4 kvadrat	396	150	396

### ZoneFiter



51225	1 modul	beli
51226	1 modul	sivi
51227	2 modula	beli
51228	2 modula	sivi
51229	4 moduli	beli
51230	4 moduli	sivi
51231	7 modulov	beli
51232	7 modulov	sivi

modul za vgradnjo dušilke  
991991

obešalo  
991989




## ZONE WIDE Beta



L 1190 mm  
B 170mm  
H vgr. 88 mm

51324	1x54W	siva
51334	2x54W	siva
51325	1x54W	bela
51335	2x54W	bela

## ZONE WIDE Fixed



L 1190 mm  
B 170mm  
H vgr. 88 mm

51385	2x54W	siva
51386	2x54W	bela

## ZONE WIDE Flex



L 1190 mm B 170mm H 88 mm



L 680 mm B 170mm H 88 mm

T5

51364	1x54W	siva
51365	1x54W	bela

TCL

51366	1x55W	siva
51367	1x55W	bela



## ZONE WIDE Opal



L 1190 mm  
B 170mm  
H vgr. 88 mm

51344	1x54W	siva
51345	1x54W	bela
51354	2x54W	siva
51355	2x54W	bela

## ZONE RUNNER vgradni modul




### zaključni element

51402	beli
51403	sivi

### profil 2720mm / par

51400	beli
51401	sivi



# DOWNLIGHTERJI vgradni - osvetljevanje sten

## WALLWASHER 215

### Dekoratívni okraski



Reflektor: asimetričen



Ø zun. 230 mm  
Ø vgr. 215 mm  
H 140 mm

W	KVG	EVG	D	D1-10	Obd. refl.
1x 18	76350	-42	-60	-81	Metal. Al
1x 26	76351	-42	-60	-81	Metal. Al

Obd. refl.  
Metal. Al  
Metal. Al



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## WALLWASHER 255

### Dekoratívni okraski



Reflektor: asimetričen



Ø zun. 270 mm  
Ø vgr. 255 mm  
H 164 mm

W	EVG	D	D1-10	Obd. refl.
1x 32	76352	-60	-81	Metal. Al
1x 42	76351	-60	-81	Metal. Al

Obd. refl.  
Metal. Al  
Metal. Al



KVG	EVG	EVG-Dim-Dig	EVG-Dim anl.

## Downlighter 253 flexi



Vgradni ø=175mm

## Downlighter 254 flexi



Vgradni ø=230mm

## Downlighter 253 flexi

1x 70W	L 190 B 190 H 65
1x 150W	L 190 B 190 H 65

## Downlighter 254 flexi

1x 70W	L 244 B 244 H 200
1x 150W	L 244 B 244 H 200

## Futuro 01



Vgradna dimenzija = 170x170mm

## Futuro 02



Vgradna dimenzija = 325x170mm


## Futuro 01

1x 35W	L 190 B 190 H 130
1x 50W	L 190 B 190 H 130
1x 75W	L 190 B 190 H 130
1x 100W	L 190 B 190 H 130

## Futuro 02


2x 35W	L 352 B 190 H 130
2x 50W	L 352 B 190 H 130
2x 75W	L 352 B 190 H 130
2x 100W	L 352 B 190 H 130

## Futuro 03



Vgradna dimenzija = 490x170mm

## Futuro 04



Vgradna dimenzija = 650x170mm

## Futuro 03

3x 35W	L 515 B 190 H 130
3x 50W	L 515 B 190 H 130
3x 75W	L 515 B 190 H 130
3x 100W	L 515 B 190 H 130

## Futuro 04

4x 35W	L 675 B 190 H 130
4x 50W	L 675 B 190 H 130
4x 75W	L 675 B 190 H 130
4x 100W	L 675 B 190 H 130

## Futuro 22




Vgradna dimenzija = 325x325mm

## Futuro 04

4x 35W	L 355 B 355 H 130
4x 50W	L 355 B 355 H 130
4x 75W	L 355 B 355 H 130
4x 100W	L 355 B 355 H 130

## 059D/DOWNLIGHT/252



Reflektor: mat aluminij  
Steklo: temper. odporno, peskano



Zun (232 x 142) mm  
Not (212 x 122) mm  
H 130 mm

252/70WKVG	1x 70W KVG
252/150WKVG	1x 150W KVG

# DOWNLIGHTERJI vgradni - osvetljevanje sten

## SIDELIGHT



Reflektor: asimetričen  
TC-DEL

zun. 187x187 mm  
vgr. 175x175 mm  
H max 94 mm

## ZONE WIDE MT/STH



MT (G12) 1x70W  
STH (GX12-1) 1x100W  
170x170mm  
H vgr. 88 mm

W		D	D1-10	Obd. refl.
1x 18	Beli okv.	75930	-61	Ozek snop
1x 26	Beli okv.	75931	-61	Ozek snop
1x 18	Alu okv.	75932	-61	Ozek snop
1x 26	Alu okv.	75933	-61	Ozek snop

EVG-Dim-Dig	EVG-Dim anl.

## OPUS 70 HQITS



HQI-TS 70/150W

zun. 260x180mm vgr. 248x162mm H 131mm kot gibanja 30°



MT (G12)

51391 1x70W beli  
51390 1x70W sivi

STH (GX12-1)

51393 1x100W beli  
51392 1x100W sivi

13001W beli

## Fluorescentne ASIMETRIČNE vgradne/nadgradne luči

### GONDOL T5/VGR



Reflektor: asimetričen, mat-Al



T5			
1x 28W	17631	L 1192 B 142 H 60	
1x 35W	17632	L 1492 B 142 H 60	
1x 49W	17634	L 1492 B 142 H 60	
1x 54W	17635	L 1192 B 142 H 60	

Montažna kaset		
1x 28W	94568	L 1200 B 150 H 60
1x 35W	94569	L 1500 B 150 H 60
1x 49W	94569	L 1500 B 150 H 60
1x 54W	94568	L 1200 B 150 H 60

### GONDOL T5/NGR




Reflektor: asimetričen, mat-Al



T5		
1x 28W	17891	L 1192 B 138 H 60
1x 35W	17892	L 1492 B 138 H 60
1x 49W	17894	L 1492 B 138 H 60
1x 54W	17895	L 1192 B 138 H 60

Obešalni pribor  
91719  
Nadaljevalni pribor za nadgradno montažo  
91434



### Relax PV/asimetric



### Classic ASN/asimetric



### GONDOL T5/UNI



Reflektor: asimetričen, zrcalni



T5		
2x 24W	17244	L 592 B 197 H 85
1x 54W	17245	L 1192 B 147 H 85
2x 54W	17246	L 1192 B 147 H 85

T5 relax pv - vgradna	
1x 14W	L 595 B 200 H 75
1x 24W	L 595 B 200 H 75
1x 28W	L 1195 B 200 H 75
1x 54W	L 1195 B 200 H 75

T5 classic asn - nadgradna  
1x 28W L 1250 B 195 H 80

1x 35W L 1525 B 195 H 80

1x 49W L 1525 B 195 H 80

1x 54W L 1250 B 195 H 80

1x 80W L 1525 B 195 H 80

T8 relax pv - vgradna	
1x 18W	L 595 B 200 H 75
1x 36W	L 1195 B 200 H 75

T8 classic asn - nadgradna  
1x 36W L 1250 B 195 H 80

1x 58W L 1525 B 195 H 80

# DOWNLIGHTERJI

